

2



February Question Bank - Exams
With answers

Prep 2 Language
Mrs/Eman Mesalam

2024



Put (√) or (X)

- 1 A form must be present on the web page in order for the data entered ()
to be sent to the website for storage
- 2 The Type property is used with a radio button ()
to prevent the user from selecting more than one radio button
- 3 We use the Password field to enter the password ()
- 4 We use the Password field to enter the student's name in the text box ()
field
- 5 Form is used to add buttons and fields to a web page ()
- 6 The Text box shows the * symbol when typing inside it to hide the real ()
name components
- 7 A radio button allows only one alternative to be selected ()
- 8 To design or create a form we use the command: <Text>.....</Text> ()
- 9 Text box allows a web page visitor to enter text data by typing inside ()
the box using the Keyboard
- 10 A static web page displays information that is viewed and navigated ()
and allows the visitor to edit it
- 11 In a web page, no form is required for the data entered to be sent to ()
the website to be stored
- 12 To remove the possibility of selecting two radio buttons at the same ()
time, the name property is used to give the same name to both buttons
- 13 To add a field to enter the student's name, the radio text box is added ()



- 14 To add a password field, a radio text box is added ()
- 15 The password field shows the symbol * when typing into it to hide the real name components ()
- 16 To design or create a form, use the command: `<form>.....</form>` ()
- 17 The radio button tool is used to select only one of several alternatives ()
- 18 The Action property is used to specify the page to which the data is sent ()
- 19 The Reset button is used to save the data entered ()
- 20 The Name property is used to specify the text on the button ()
- 21 The Command button is used to perform various functions when pressed ()
- 22 The Checkbox radio button is used to select one of the available alternatives ()
- 23 The Submit button is used to send the data entered in the form elements to the web page ()
- 24 To add a text box to the web page, we use the `<input type="input">` command ()
- 25 We save the HTML file with the Htm extension ()
- 26 The @ symbol appears when typing the password to hide the real password components ()
- 27 To add the password field to the web page we use the command `<password type="Text">` ()



- 28 To choose your language or more than one language, checkboxes are added to the web page ()
- 29 The Submit button is used to delete the data typed into the input fields ()
- 30 To add a command button to the web page we use the command `<Input type="checkbox">` ()
- 31 The Reset button is used to delete previously entered values ()
- 32 Java Script is case insensitive ()
- 33 HTML enables you to validate the input data ()
- 34 The document. Write is used to show a typed message in a message box ()
- 35 Java Script commands are written inside `<Script> </Script>` ()
- 36 Java Script sentences must end with an `&` ()
- 37 The alert statement is used to display a message inside a message box ()
- 38 The message must be enclosed with the alert sentence in parentheses ()
- 39 We use Ms. Word to display the information page file ()
- 40 It is not enough to use HTML to validate the data entered into the web page ()
- 41 Java Script must be written in a separate file from the HTML help file ()
- 42 In Java Script, each statement must end with a comma(;) ()
- 43 In Java Script, there is no difference between lowercase and uppercase when writing statements ()
- 44 Java Script commands and instructions are written inside the HTML code ()
- 45 The Java Script commands are written on HTML tags ()



Choose the correct answer:

- 1- We use the code `<input type="radio">` to add to the web page
 - a. Text box
 - b. Radio button
 - c. Password field
- 2- It is added to a webpage to enter literal data by typing into it
 - a. Form
 - b. radio button
 - c. text box
- 3- The * symbol appears when typing to hide the components of
 - a. single word
 - b. radio button
 - c. password
- 4- Used with buttons and fields added to a web page to enter and submit data to be stored on the website
 - a. Form
 - b. Name
 - c. Radio button
- 5- Enter the student's name and address in the text box field
 - a. Web page
 - b. Form
 - c. Text
- 6- Used to add buttons and fields to the web page
 - a. web page
 - b. form
 - c. text
- 7- is used with a single alternative selection tool to prevent the user from selecting more than one button at the same time.
 - a. Name
 - b. Password
 - c. text
- 8- The box is used to add a password field
 - a. Form
 - b. Password
 - c. Web page
- 9- The language is used to create a static web page
 - a. Web page
 - b. Text box
 - c. HTML
- 10 - Allows a visitor to a webpage to enter text data using the keyboard
 - a. text box
 - b. radio
 - c. form
- 11- to specify the language or languages that the webpage visitor is fluent in.
 - a. Radio button
 - b. checkbox
 - c. Text box



Exam (1)

1- Put (√) or (X)

- 1 HTML enables you to check the validity of the entered data ()
- 2 To prevent the user from selecting more than one radio button, we use the Value property ()
- 3 When saving a web page with HTML code, its extension must be doc ()
- 4 To add a button to select only one of several alternatives, we use the radio button ()
- 5 The text box field is used to enter data that does not appear when typed ()

2- Choose the correct answer:

1. is required in the web page in order to send the entered data to the website
(form-reset- submit)
- 2-The command appears When entering the password to hide its components
(@ - * - &)
- 3- The command is used to show a message written on the web page
(document - if - alert)
- 4- All Script sentences must end with
(parentheses - slash - semicolon)
- 5- To design or create a form we use the command
(<form></form> - <Script></Script> - <HTML></HTML>)



Exam (2)

1- Put (√) or (X)

- 1 The name property is used to prevent both buttons from being selected at the same time ()
- 2 To add a field to enter the student's name, a text box (radio) is added ()
- 3 The reset button is used to save the entered data ()
- 4 To select more than one language at the same time, we use the Checkbox ()
- 5 The Value property is used to specify the text that appears on the tool ()

2- Match from (A) the suitable answer to (B):

(A)		(B)	
1	<input type="reset">		To add a checkbox to a web page
2	<input type="Submit">		To add a command button to a web page
3	<input type="Text">		To add a submit button to the webpage
4	<input type="button">		To add a delete button to the webpage
5	<input type="Checkbox">		To add a name field to the webpage

2



February Question Bank - Exams
With answers

Prep 2 Language
Mrs/Eman Mesalam

Answers

2024



Put (√) or (X)

- 1 A form must be present on the web page in order for the data entered to be sent to the website for storage (√)
- 2 The Type property is used with a radio button to prevent the user from selecting more than one radio button (X)
- 3 We use the Password field to enter the password (√)
- 4 We use the Password field to enter the student's name in the text box field (X)
- 5 Form is used to add buttons and fields to a web page (√)
- 6 The Text box shows the * symbol when typing inside it to hide the real name components (X)
- 7 A radio button allows only one alternative to be selected (√)
- 8 To design or create a form we use the command: <Text>.....</Text> (X)
- 9 Text box allows a web page visitor to enter text data by typing inside the box using the Keyboard (√)
- 10 A static web page displays information that is viewed and navigated and allows the visitor to edit it (X)
- 11 In a web page, no form is required for the data entered to be sent to the website to be stored (X)
- 12 To remove the possibility of selecting two radio buttons at the same time, the name property is used to give the same name to both buttons (√)
- 13 To add a field to enter the student's name, the radio text box is added (X)



- 14 To add a password field, a radio text box is added (X)
- 15 The password field shows the symbol * when typing into it to hide the real name components (v)
- 16 To design or create a form, use the command: `<form>.....</form>` (v)
- 17 The radio button tool is used to select only one of several alternatives (X)
- 18 The Action property is used to specify the page to which the data is sent (X)
- 19 The Reset button is used to save the data entered (X)
- 20 The Name property is used to specify the text on the button (X)
- 21 The Command button is used to perform various functions when pressed (v)
- 22 The Checkbox radio button is used to select one of the available alternatives (X)
- 23 The Submit button is used to send the data entered in the form elements to the web page (v)
- 24 To add a text box to the web page, we use the `<input type="input">` command (X)
- 25 We save the HTML file with the Htm extension (v)
- 26 The @ symbol appears when typing the password to hide the real password components (X)
- 27 To add the password field to the web page we use the command `<password type="Text">` (X)



- 28 To choose your language or more than one language, checkboxes are added to the web page (✓)
- 29 The Submit button is used to delete the data typed into the input fields (X)
- 30 To add a command button to the web page we use the command `<Input type="checkbox">` (X)
- 31 The Reset button is used to delete previously entered values (✓)
- 32 Java Script is case insensitive (X)
- 33 HTML enables you to validate the input data (X)
- 34 The document. Write is used to show a typed message in a message box (X)
- 35 Java Script commands are written inside `<Script> </Script>` (✓)
- 36 Java Script sentences must end with an `&` (X)
- 37 The alert statement is used to display a message inside a message box (✓)
- 38 The message must be enclosed with the alert sentence in parentheses (X)
- 39 We use Ms. Word to display the information page file (X)
- 40 It is not enough to use HTML to validate the data entered into the web page (X)
- 41 Java Script must be written in a separate file from the HTML help file (✓)
- 42 In Java Script, each statement must end with a comma(;) (X)
- 43 In Java Script, there is no difference between lowercase and uppercase when writing statements (✓)
- 44 Java Script commands and instructions are written inside the HTML code (X)
- 45 The Java Script commands are written on HTML tags (✓)



Choose the correct answer:

- 1- We use the code `<input type="radio">` to add to the web page
 - a. Text box
 - b. **Radio button**
 - c. Password field
- 2- It is added to a webpage to enter literal data by typing into it
 - a. Form
 - b. radio button
 - c. **text box**
- 3- The * symbol appears when typing to hide the components of
 - a. single word
 - b. radio button
 - c. **password**
- 4- Used with buttons and fields added to a web page to enter and submit data to be stored on the website
 - a. **Form**
 - b. Name
 - c. Radio button
- 5- Enter the student's name and address in the text box field
 - a. Web page
 - b. Form
 - c. **Text**
- 6- Used to add buttons and fields to the web page
 - a. web page
 - b. **form**
 - c. text
- 7- is used with a single alternative selection tool to prevent the user from selecting more than one button at the same time.
 - a. **Name**
 - b. Password
 - c. text
- 8- The box is used to add a password field
 - a. Form
 - b. **Password**
 - c. Web page
- 9- The language is used to create a static web page
 - a. Web page
 - b. Text box
 - c. **HTML**
- 10 - Allows a visitor to a webpage to enter text data using the keyboard
 - a. **text box**
 - b. radio
 - c. form
- 11- to specify the language or languages that the webpage visitor is fluent in.
 - a. Radio button
 - b. **checkbox**
 - c. Text box



Exam (1)

3- Put (√) or (X)

- 1 HTML enables you to check the validity of the entered data (X)
- 2 To prevent the user from selecting more than one radio button, we use the Value property (√)
- 3 When saving a web page with HTML code, its extension must be doc (X)
- 4 To add a button to select only one of several alternatives, we use the radio button (√)
- 5 The text box field is used to enter data that does not appear when typed (X)

4- Choose the correct answer:

1. is required in the web page in order to send the entered data to the website
(form-reset- submit)
- 2-The command appears When entering the password to hide its components
(@ - * - &)
- 3- The command is used to show a message written on the web page
(document - if - alert)
- 4- All Script sentences must end with
(parentheses - slash - semicolon)
- 5- To design or create a form we use the command
(<form></form> - <Script></Script> - <HTML></HTML>)



Exam (2)

1- Put (√) or (X)

- 1 The name property is used to prevent both buttons from being selected at the same time (√)
- 2 To add a field to enter the student's name, a text box (radio) is added (X)
- 3 The reset button is used to save the entered data (X)
- 4 To select more than one language at the same time, we use the Checkbox (√)
- 5 The Value property is used to specify the text that appears on the tool (√)

2- Match from (A) the suitable answer to (B):

(A)		(B)	
1	<input type="reset">	<u>5</u>	To add a checkbox to a web page
2	<input type="Submit">	<u>4</u>	To add a command button to a web page
3	<input type="Text">	<u>2</u>	To add a submit button to the webpage
4	<input type="button">	<u>1</u>	To add a delete button to the webpage
5	<input type="Checkbox">	<u>3</u>	To add a name field to the webpage